App I IX 1

1932-33
(Rev)

File No 116-32

Previous References
Rev 86-26 5 6 7 9 10 11 12 13 14 15
118 18 11 15
167 22 25 47
118 18 14 0 12 14 11, 19 22

Serial Nos 41 5
60, 61 62, 63,
64, 65, 66, 67
68, 69

Letter References
Rev 7 - 1 - 0

PRESERVED

GENERAL AND REVENUE SECRETARIAT

Serial No 12

Part B for July 35

SUBJECT

Repairs to the anicut from which the feeder channel to the water supply tank in Chamarajnagar town is drawn

Letter no L 739 dated 27 7 35 to the D.C., Mysore - Dr requesting that the work should proceed & the Chamarajnagar Rev Cl should meet the entire cost >

WD 0907-GPB—22 5.0—2-8-35

RS
16 10 35

Allotment for repairing the anicut to the feeder channel of the waterstank at Channa

[App F III—2

General and Revenue Secretariat — File No 116 of 1932-33.

Serial No 41

From

The Chief Engineer in Mysore no 6229 dated the 8th February.

In connection with the proposal of water supply to Channarajnagar Town, states that the anicut across the feeder channel to the tank is damaged during the heavy rains of last year necessitating repairs which a grant of about Rs 2000 is required during the year and requests that pending the submission of a revised estimate, the estimated grant of Rs 2000 may be made

I submit the previous reference of the Chief Engineer reports that a sum of Rs 2000 may be made available from out of the grants under "30- grants for Public Improvements"

3 lacs the grants given under the head for "water supply to towns & improvement of towns" which are being administered by the Sanitary Engineer, Rockefeller Foundation, Trust of Green will, if approved, be requested unofficially to state if the above sum required could be made available from out of the above grants

Submitted

(A Roy) 14/2

14/2/33

SECRETARY

NOTE—Contn Sheet.

WD 70—GBPM—60 000—13 8 31

Water supply & Bhimarajanagar Town

M(1)le No 116 of 1932-33 General and Revenue Secretariat

Forwarded unofficially with Compliments to the Sanitary Engineer, Sanitary Engineering Bureau for favour of perusal and early return of file

By order
C.V. Srinivasa Char
for General Secy to Govt
10/3/33

From

26 O no 124 32
Dated 16th Feby 33

GENERAL SEC. 13 MAR 33 No

S. No 608/32

10th March 1933

Returned with compliments to the General Secretary to the Government of Mysore

According to the revised list of recommendations to be made out of the grant from 30 Grants for Public Improvements- 3 Improvements to towns and minor municipalities (see attached list) it will be impossible to grant the request of the Chief Engineer

J. J. Nieldazis,
SANITARY ENGINEER

13/3

Submit with a draft G.O. for approval and other orders according to the above opinion

14 3 33

It will be seen from G.O. no 2730 32 PW 86-26 13 dated 8 12 32 that out of the original estimate for Rs 19915 for the work, the Municipal Council Chairman has granted a sum of Rs 10780 (including the collection and establishment charges) & that the balance of

General Revenue Secretariat | File No | of 193

Serial No

Rs 9135 was met by Govt The Sum now required for rectifying the damage caused by the rains is stated Rs 2000 and it is not clear why the whole of this amount should be met by Govt The revised estimate might have been prepared by now, and only the sum actually required, the Municipality has to bear one half at least Before sanctioning any grant the Chief Engineer may be consulted unofficially on the point

(Sen Secy) 15/3

10 Please do so
16/3/33

11 Forwarded with Compliments unofficially to the Chief Engineer in Nilgiris for favor of remarks

By order,
A Subba Rao
for General Secy to Govt

Rec 159-32
dated 17 3 1933

CO no 417 20-3-33

Rs 11 a
statement of the amount
of the revised Estimate

17/3/33

417
21/6/33

12 Returned, with compliments

2 The works required to be done to the anicut are not those provided for in the original estimat sanctioned for Rs 19,915 in August 1927 and the... are necessitated on account of the damages sustain by the anicut during the heavy floods of 1932. estimate amounting to Rs 4,600 for rectifying damages is under submission to Government for tion as a supplemental estimate to the original sanctioned one

AL SECT
15 MAR
230

AL SECT
JUNE 1933

File No 116 of 1933 — General and Revenue Secretariat

It is therefore necessary, as already contemplated in this G O of 3rd August 1927 that half the cost of the present estimate has to be borne by the Municipality

Gen Secy with compts

Mr Ramaiya 22/6/33

Is yr dy can nos Damaps be requested to obtain the resolution of the Mcl of Chamarajnagar agreeing to bear half the cost of the new estimate viz Rs 2300/

GENERAL SECRETARIAT 24 JUNE 1933 No

(Gen Secy)

Am 23/6

16/6/33

Draft Letter Subs for approval

Draft prepd 23/6/33

TYPING SECTION 29 JUN 1933 GEN EVE

for 98 27/6/33

16 Issued 28/6

To the D C Mysore - Dft no L 45 dated 7 7 33

Requests him to obtain & furnish forward the resolution of the Chamarajnagar Mcl agreeing to bear half the cost of the supplemental estimate viz Rs 2300/

To the Chief Engineer no L 16 dt 7 7 33 Fds for information a copy of above letter

SB

Sup A

General and Revenue Secretariat | Mc File No 166 of 1932 | [App F III—2

Serial No	
60	Letter no 03 229/33 dy 2-12-33 from the Supdg Engr stating that the well have resumed that the question of effecting repairs to the tunnel may be deferred, as there is enough water in the pond, and that the Engr are not in favour of incurring any expenditure for repairs to the aqueduct, as funds have to be found for more urgent works
	(19) See note to para 15 of the note supra
	2nd cy 26 Forwarded with compliments and attention to the Chief Engineer for perusal & favour of remarks
	210 no 229/33-34 28/12/33
	By order, Asstt to the Secy to Govt
	29 12 33 Mr. R. 28 12 33
	If the repairs are not carried out, the Superintending Engineer reports that further damages are likely to occur & that for the safety of the work these repairs are urgently necessary. Please do the needful. Mr. R. Ramaiah

Ref to Govt
Gen no 141-33 dy 27-12-33
2nd 229 2/1/34
2-APR

2687

File No of 193

General and Revenue Secretariat

Serial No

22 Please put up a draft to the Dycom communicating the opinion of the Chief Engineer & requesting him to ask the MCC or Chamarajnagar to ~~provide~~ agree to meet half the cost of the work and provide the required funds for the work during the current year

Ans 3/4

23 Draft submitted for approval

RDM 4/4 AW

24 Memo approved

II Members) AW 4/4

25 Sd 10/4 AW 10/4

26 Issue 11/4

To

The Dy Commr Mysore Distt

No L 75-13 Dt 18 4 34

Requests him to ask the Chamarajnagar Town Municipality to reconsider their decision and to agree to meet half the cost of the repair work & provide the required funds during the current year

To The Chief Engineer Mysore

No L 7514 Dt 18 4 34

Dft for info & necy

CF OF THE COMMISSIONER OF COUNCIL 9 APR 1934 No 6537

TYPING SECTION 11 APR 193 GENL & REV SEC

61

Serial No

From:

The Chief Engineer in Mysore
No 9595 dated the 16/4/34
Requests that a sum of Rs 5000/
may be provided under "30 grants for
Public Improvements — water supply & Drainage"
for the year 1934-35 for urgent
improvements required to Chamarajapura
anicut, the source of water supply to
Chamarajanagar Town.

2) The file may perhaps be sent
immediately to the Director of Health
for note and inclusion in the
statement of distribution of allotments
to be sent to Govt of the provision made under
"Water supply to towns" during the
year 1934-35, after the State
Budget Estimates are passed

Sd
19/4/34 AM

2) There is a file already on the
subject of the repairs necessary for
the anicut & the contribution to be
paid thereto by the Chamarajnagar TMC
This may be included in that file & returned

Add
19/4

2) Submitted with the connected file
AM
20/4/34

NOTE—Contn Sheet

D 01 36—GPB—7 500—5 4-34

1801

File No | of 193 | General and Revenue Secretariat

30 The Suggestion in para 29 to send Rs 5/- to the Director for note of the registration may be approved

29 In case the Chamarajnagar Municipality agrees to meet half the cost of the work the Govt grant may be reduced correspondingly

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH & PREVENTIVE MEDICINE
26 APR 1934
File No. C 1108
Despatch No.

20 APR 1934
325-3

U O No. -

31 Forwarded unofficially with compliments to the Director of Health for favour of note and return early. Econ 207-33 Dy 24-4-34

By order,
Asstt
For Secretary to Govt
GRR Development Dept

32 Retransmitted with compliments to the Secretary to Government, Development Department U O No C 1108-2 26/4/34

33 The Chief Engineer considers the work very necessary

34 It will be possible to make a contribution of half the cost from 30 Grants for Public Improvements in 1934-35 budget and not in the current year

The Municipality should bear the other half from their revenues

DEVELOPMENT SECTION
28 APR 1934

48-7 √238 a38 1/2

General and Revenue Secretariat — File No 116 of 1932-33 [App F III—2

Serial No	
37	If Government approves of the grant, provision will be made for the same when distributing the grant under 30 Grants for Public Improvements in 1934-35 Budget

RECEIVED
30 APR 1934
3380

Director of Health

38 The repts of the DC Nupur Vittus Office letter no L 7513 Dy 18 4 34 may be awaited before further action is taken

Asst 30/4

Deputy 35 yes MW 30/4 Asst

The DC Nupur

no L Dy 299/33 Dy 14/16 7 34 reports that the President, Chamarajnagar Municipal has deposited that the sum of Rs 2300/- was credited to the head of w Defns in the Chamarajnagar Taluk Treasury on 30/4/34.

If the Director of Health will if approved, be requested to provide further sum of Rs 2300/- from out of the Grant for water supply to towns during the current year, provided in the State Budget for 1934-35

Instructions Govt for P 9

NOTE—Contn Sheet

From 29/7/34 AM

15 0136—GPB—7 500—5-4-34

File No 116 238/1 of 1932 — General and Revenue Secretariat 33

4. It seems necessary to pass an order sanctioning the estimate for the work & indicating how the cost will be met. For this purpose the estimate referred to in the 2nd note of the Chief Engr in para 2 supra may be called for, with reference to his letter no 5555-Dy 16 4 34 in margin.

Please draft

27/7

2

Draft letter to the Chief Engr as desired

43 Issue 27/7

27/7/34 NV/27/7

30 JUL 1934 GENL & REV SEC

The Chief Engineer in mysore 63
no L754 dated the 1st Aug 1934
calls for the supplemental estimate in question

from
the Chief Engineer 64
no 1669 Dy 4 9 34
states that the supplemental
estimate relating to the work
is not available in his office

The estimate referred to was flagged P
It is for Rs 4800 (Corrected in pencil to Rs 4320 after being checked)
4/5 Kind ref cc as noted in
this connection to his no L5086
/Rel/85-33-2 Dy 5/10 January 1934

Flag B

Water Supply & Channarayapatna Taluk

2385 9-17

General and Revenue Secretariat | File No 716 | of 193 2-33 | [App F III—2

Serial No

laying down rules for regulating the preparation & sanction of plans & estimates for works in Town Mc obtg under rule 5 (11) thereof, the D.C. is competent to sanction the estimate which is for an amt less than Rs 5000/, inasmuch as it is customary that the work is one coming under the category of Rule 6

46 Under the circs it is for order if the plans & estimate may be returned to the D.C myself with, pointing out the above provision & stating that provision has been made by Govt to the extent of Rs 2300/ for the work in question during the current year out of the allotment made for water supply to Towns in the State Budget the other half viz Rs 2300/ has been paid in 33 & 34 by the Channarayapatna Town Mc to the credit of the P.W.D Accts A copy of this letter may be sent to the Chief Engr

7/9/34-MN/49 47 Draft may be put up for such accept

7/9

NOTE—Co tn Sheet

997

997 1 Shan up 1

File No 116 of 193 2-33 General and Revenue Secretariat

Submitted with a draft letter to the D.C. Nyasaland

1590

19/34 19/9 1,9 Yes I agree with the Director

19/9

50 Regarding the Govt share of the grant the Director has made a number of points in another file — "Is this quite necessary Chamber of Mines is fairly prosperous nowadays"

51 This work is really supplemental to the water supply proposal sanctioned in 1927 when it was ordered that half the cost should be borne by Govt. Half the cost of the supplementary estimate has been deposited by the Mines and Govt are committed to bear the other half. The work is urgently necessary

52 Papers attached

Secretary Member
Director

19/9/34

53 Yes
24/9

Typed & C
19/9/34

1580
24-9-34

54 26/9 19/9/34

OFFICE OF THE SECOND MEMBER OF COUNCIL
21 SEPT 1934
No 2234

Serial No

D OFFICE
4 OCT 1934
No 1878

+ Sent to dept for advice

56 The Draft has not been used, pending orders on the same point in the file re the Distribution of the Town Improvement Grant the current year

57 In that file the Dewan has minuted as follows —

Is it really necessary to pay Rs 2500 to Chamarajapet Municipality? There are others in greater need of help.

58 The Dy Com may perhaps be requested to ask the Municipality to contribute also the other half of the Cost of the work. The second sentence of the Draft is altered accordingly for consideration

DEVELOPMENT
2078
2 OCT 1934

59 (Dewdney) Ann 2/10
The revised draft may be approved accordingly

MM 3/10 Ann 3/10

OFFICE OF THE COUNCIL
SECRETARIAT
3 OCT 1934
77

60 JM 3/10 MM 3/10

61 For perusal before issue Dewan

MM 4/10 Ann 4/10

62 JM 4-10-34

MM 5/10/34 Issued Ann 5/10

INSPECTION
5 OCT 193?
GENL

NOTE—Contn Sheet

WD 0 95 —GPB—22 .00—12 6 34

Kowloon - Water Supply Scheme - Chamunagrapuram

997

Mel File No	166	of 1932	General and Revenue Secretariat

6 s

Memo, symes

2793 dy 13-10-34

Stating that the estimate in question may be sanctioned by him and forwarded to the Supply Dept for further action, and that it is not possible to spare any money from the water supply and thus Supplementary grants of this year for this work and that the Chamunagrapuram may may be asked to meet the entire cost

---

2794 dly to concl Dept

2795 dly to Director of Ht

The Secretary to the Govt

No Dy - 1552/32 dt 17/18/34 B 17/10

reports that the Mel Cl have expressed their inability to meet the 1/2 the half of the cost of the repairs work in question & that the amount of Rs 2300 already collected by the P.W.D. may be got refunded and requests sanction of Govt to the proposal

64 thus an account which the P.W.D

Water supply Chamarajapuram

997V 3217 394

General and Revenue Secretariat — File No 116 of 1932 — [App F III-39

Serial No

1314

have undertaken to do the wk; have resolved to see that the urgent & necessary repairs to the Anicut are got done by them on agency, as they are unable to meet the other half of the cost according to the estimate got up by the P.W.D for the wk. It is not clear how the Mlty would be able to do the wk to the specifications required and referred to in the estimate at about cost. This appears to be an important wk requiring technical skill and as the original water supply Scheme has been executed by the P.W.D, it is necessary that this wk is also done under the supervision of that Deptt. After all the only agency which the Ml Cl have at their disposal for doing such wk is the Sanitary Inspector and it is doubtful how far the work would be done satisfactorily. The D.C has not said anything on this point.

If the Chief Engr may perhaps be specially consulted if, having regard to the large amount spent on the water supply Scheme, the repair wk may be left to be done by the agency employed by the Ml Cl, the sum of Rs 2500 granted by the Govt to the P.W.D being first refunded or proposed to be A veri may be done

GPB—22 50—12 6-32

Repairs to channel —
Water supply feeder, Chamarajnagar 3 cy

File No 3217 of 193 — General and Revenue Secretariat

68 Forwarded with compliments to the Chief Engineer in reference to favour of opinion in regard to the point referred to at para 65 Supra

By order,
A Venkata Rao
for Secretary to Govt
GRR Development Department.

W O 20 No 276 & 7 3 35-

W O 7 No 322 28/1/35

69 The Superintending Engineer, Mysore Circle, has reported that what is proposed in the estimate under reference is not a repair work but it is the Construction of the Cushion down stream of the ancient and remodelling it for a Contingent flood of 8' depth. He does not therefore agree to the proposal of entrusting the work to be done by the Town Municipal Council. The work will have to be done by the Departt and cannot be put off indefinitely on the score of funds as it is very likely that a serious risk is involved in postponing the work. As Government and the Municipality have both spent large sums

Bra a Engineer

File 28/1/5 287, 288, 289, 290, 291

30/1

Lsg

Public Works Department
Central Office

File No of 193

Ser al No

On the work it ~~would not be right~~ ~~is not desirable~~ to Consider the views of the Municipality regarding the funds or their willingness for the further works to be carried out at this stage

2. The Municipality will have to meet the Cost of these and the work got executed through the agency of the Public Works Department.

71 The nature of the work is such that it is difficult even to a technical deptt like the PWD & it would be both dangerous & waste of money if such kind of work is carried out by a non-technical agency

Chief Engineer

Development Secy w/c

72 Submitted respectfully according

73 Put up after approval

74 Please put up a fair draft as reversed

75 Fair draft submitted

76) Issued

To meet my requirements 65 45 07 25-3-35 State that the work cannot be executed by us and that they may be asked to pay the

5682 20/3

T S W/C

15 MAR 193

67

MAR. 1935

ING SECTION

HD 01269—GPB—A.000—10-12-34

Water Supply Tenth — Chamoli magazine

General and Revenue Secretariat | File No 49 of 193 | [App F III 2

M

Letter no 03 3988/34-35 dt 1/3/35 from the SE, Hyd stating that the Mcc have expressed their inability to meet the entire cost of the work and request that half the cost of the work amounting to Rs 2,300 may be met out of State funds

---

B

7) The Mcc admit in effect that if it is not possible for Govt to meet half the cost of the scheme the same may be dropped, as the sinking of a bore well is under contemplation

7a) Reference existing incl reference paras 05-76 of the note under

AD/4/7 AD/4/7

The work cannot be started for the reasons mentioned by the Chief Engineer in his note dt 31 3 34 in para 21 of the note

So the question for consideration is whether Govt can spare the sum of Rs 2300 out of the Dam Improvement grant for the current year The Mcc has pleaded inability to meet the sum in view of the decreasing income of the

File No of 193 | General and Revenue Secretariat

Mes and its several communications undertaken already
The proposal to allot Rs 2300 to the Mes for the
works out of last year grant was not approved
in view of the Dewan's order extracted in para 57 supra 134/L89

* Drainage scheme, electrification of the town etc.

For orders

Dewr

AM 6/7

Whether the present schemes
for arrears ?

111
11 7

Please see under head to the Budget Estimates of the Mes for the current year

AM 12/7

The financial position of the Channapatna Mpl for 1935-36 stands as now below —

Opening balance		Rs 10,628
Receipts — Normal	18,375	
Special	4,025	22,400
		33,028
Expenditure — Normal	13,317	
Special	6,546	19,863
Closing balance		13,165

The normal expenditure of the mplc is well within its normal income and the closing balance is much above the prescribed minimum. The mplc has an investment of Rs 43,3[illegible]

Chamarajnagar water supply Tank

49

General and Revenue Secretariat | File No | of 193 | 49 | App F III 2

in the post savings Bank The financial position of the mpty is satisfactory.

12/7 NM/13/7 Dewdney Asst 13/7

286
13/7/35

The chief Engineer considers that the work is necessary and should commence. The Mty have supplied funds to meet the expenditure and no Govt grant can be placed at the disposal which hardly meet the more pressing needs. The Dy Comm may therefore be requested to see that the mty finances the finances and makes it available for expenditure by the P W D

Secretariat

NM 13-7 AS 13/7

I agree

Jpn 16/7

Dewdney

NM 16/7 Asst 16/7

Mo 17-7-35

NM 18/7/35 Please draft Asst 18/7

draft sent for appl

Issue Asst 24/7

gm 19/7/35 NM 22/7/7

SECOND MEMBER OF COUNCIL 15 JULY 1935 No 377

D ... OFFICE 17 JULY 1935 No 360

PING SECTION 25 JUL 1935 M. & REV SECTT

File No of 193

General and Revenue Secretariat

67

To

The DC, [illegible]

[illegible] dtd 27-7-35

Requisition above made [illegible] provides the necessary funds for the work and materials mentioned [illegible]

[illegible]

✓
R
m
27/7

ml 116-32-41

Tell address — MYSORWORKS

No 8227
Encls

PUBLIC WORKS DEPARTMENT

CENTRAL OFFICE

Dated Bangalore 8 February 1933

GEN & REV SECTT 3472

GENERAL SECRETARY 8 FEB 33 No 259

From

M RANGAIYA Esq BA BE MRSANI MAMAE
Chief Engineer of Mysore
Bangalore

To The Secretary to Government,
General Department, Bangalore

Subject - Grant under "30 Grant for Public Improvements"

Sir,

I have the honor to inform you that against the estimate for Rs 19,915/- sanctioned by Government for improving water supply to Chamarajanagar Town, a sum of Rs 19,524/- has been spent to end of 30th June 1932

The anicut from which the feeder channel to the tank is drawn was damaged during the heavy rains of May last, for rectifying which a grant of about Rs 2000/ is required during the current year Pending the submission of the revised estimate, the extra grant may kindly be made available

I have the honor to be
Sir,
Your most obedient servant,

M Rangaiya
Chief Engineer of Mysore.

8/2/33

GEN 4730 32/21 16-13-33
3/2/27

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No. 2. 15/Rev 116-32-56 Dated Bangalore 30th June 1933

1/7/33

From

The General Secretary to the Government of His Highness the Maharaja of Mysore

To

The Deputy Commissioner, Mysore District

Sir

With reference to Government Order No I 730-32/ I 86-26-13 dated the 3rd August 1927 sanctioning an estimate for Rs 19,915/- for -- improving the water supply to Chamarajanagar Town, I am directed to state that the Chief Engineer has reported that the sluice from which the feeder channel to the tank supplying the water is drawn was damaged during the heavy rains in May 1932, that a supplemental estimate -- amounting to Rs 4600/- has been prepared for rectifying the damages and carrying out other works for which no provision has been made in the original estimate and that, according to the Government Order referred to above, the Municipal Council have to bear half the cost of the estimate in question In the circumstances, I am to request you to obtain and forward the resolution of the Chamarajanagar Municipal Council agreeing to bear half the cost of the supplemental estimate viz , Rs 2300/-

I have the honour to be,
Sir,
Your most obedient servant,

Sd S N Appannangar,

General Secretary to Government

Memo No 2 16

Dated, Bangalore, 30th June 1933

1/7/33

Copy of the above is forwarded with compliment , to the Chief Engineer in Mysore for information with reference to correspondence ending with memo No 417/32-33 dated 22nd June 1933

By Order,

SUBJECT

Section ML
File No 116-32
Serial No 56

Diary No of letter replied to

No 2' 15

To The Deputy Commr
Mysore District

General and Revenue Secretariat

( )

the 193

Sir,

With reference to
G O no 2 7 30-32/ml86-2
-13 dated the 3rd August
sanctioning an estimate
for Rs 19,915/- for improving
the water supply to Channa-
pura, I am directed to state
that the Chief Engineer
has reported that the
amount from which the
feeder channel to the
tank supplying the water
drawn was damaged
during the heavy rains in

Date of issue 1/7/33

Signed by Mor A Subba Rao

List of enclosures

Examined by

Examined by

WD [illegible] G PM—40 000—20 7 31

May 1932, that a supplemental estimate amounting to Rs 4300/- has been prepared for rectifying the damages & carrying out the works for which no provision has been made in the original estimate and that, according to the G.O. ref^d to above, the Municipal Council have to bear half the cost of the estimate in question & the circs, I am to request you to obtain and forward the resolution of the Bhawanagar M^l Co agreeing to bear half the cost of the supplemental estimate viz Rs. 2300/-.

4600.??

Haveck

Ans^d
from Asst Secy to Govt
Memo no. L-16 9 1/7/33
Copy to the Chief Engr with
Compliments for info with ref^ce to
circle engrs memo no 417 dated 6.33
3-7-33
for info
Ans^d
Asst Secy to Govt

No D3 299/33
Enc one file

Office of the Deputy Commissioner
Mysore District

(193)

Dated Mysore 2nd December 1933

FROM

C S KUIPUSWAMIENGAR Esq

Deputy Commissioner
Mysore District

TO

H V RAMASVAMI, Esq , I A , B L ,
General
Secretary to the Government of Mysore
Bngalore

SIR

Repairs to anicut supplying water to the tank
~~xx~~ in Chamarajanagar

With reference to your letter No L 15 Ml 116-32-56 dated 30th June/1st July 1933 requesting to obtain and forward the resolution of the Chamarajanagar Municipal Council agreeing to bear half the cost viz , Rs 2300/- of the estimate for repairs to the anicut from which the feeder channel to the tank is drawn, I have the honour to state that the Municipal Council have resolved in their meeting held on 30th October 1933 that there is no need to effect repairs to the anicut as there is water in the pond enough to last for years Besides, the Municipal Council are not in favour of incurring any expenditure for repairs to the anicut as the Municipality has to find funds for more urgent works such as the drainage scheme

A copy of the resolution of the Municipal Council and other connected records received with report No 133/33-34 dated 14th November 1933 accompany

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Mysore District

NRS

-GIB-8

19

From

To

Dated

Despatched

Received

General No

No

Enclosure No

Appendix F G—1]

SUBJECT

Section 192
File No 116 32
Serial No 61

Diary No of letter replied to

No L 7513

To The Deputy Commissioner
Mysore Dt

General and Revenue Secretariat
( )
the *193*

Date of issue 18 4 34

Signed by for A Sub Ga Rao

Sir

With reference to the correspondence ending with your letter No D3 299/33 dated 2-12-33 on the matter of effecting repairs at an estimated cost of Rs 4,600 to the amount from which the feeder channel to the water supply tank in Chamarajanagar Town is drawn, I am directed to state that the Chief Engineer who was consulted in the matter is of the opinion that, if the repairs are not carried out, further damages are likely to occur and that for the safety of the water ~~supply~~ works, these repairs are

List of enclosures

Copied by

Examined by

urgently necessary & he required that

the Channarayanagar Municipal Council

in the city recanses their resolution dy 30 10 33 and

may be asked to agree to meet half

the cost of the repair works and provide for

the required funds during the current

year.

— I have etc —

— — TW —

6/4 Secy to Govt Rev Dev Deptt

L 7514 dy 18-4-34 AH

Cities to Chief Engineer

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretaria

Dated Mysore 18th April 1934

No L 7613/2nC 11[illegible]-32-61

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
Development Department

To

The Deputy Commissioner,

Mysore District

Sir

With reference to the correspondence ending with your letter No D 3-209/33 dated 2nd December 1933 in the matter of effecting repairs at an estimated cost of Rs 4,600 to the anicut from which the feeder channel to the water supply tank in Chamarajanagar Town is drawn, I am directed to state that the Chief Engineer, who was consulted in the matter, is of the opinion that, if the repairs are not carried out, further damages are likely to occur and that for the safety of the water works, these repairs are urgently necessary and to request that the Chamarajanagar Municipal Council may in the circumstances be asked to reconsider their resolution dated 30th October 1933 and agree to meet half the cost of the repair work and provide the required funds during the current year

I have the honour to be,
Sir,
Your most obedient servant,

Sd/- Venkatanaranappa,
Secretary to Government,
Development Department

Memo No L 7614 Bangalore, dated the 18th April 1934

Copy of the above is forwarded with compliments to the Chief Engineer of Mysore

By Order,

for Secretary to Government,
Development Department.

MZG Pfs

Immediate

No 9595

Encls 1 Copy
1 Budget Estimate

PUBLIC WORKS SECRETARIAT

Camp - Shimoga,
Bangalore 14th April 1934

16 4809

From RAJA SEVASAKTA
M G RANGAIYA ESQ BA BE MRSANI, MAMAE
Chief Engineer of Mysore
Bangalore

To

The Secretary to Government,
Development Department,
Bangalore

16 APR

Improving water supply to Chamarajanagar town

I have the honour to forward herewith a copy of letter No B 174 dated 7th April 1934 and of its enclosure received from the Superintending Engineer, Mysore Circle, on the above subject and to request you to kindly provide a sum of Rs 5,000 under "30 Grants for Public Improvements - Water supply to Towns" for the year 1934-35 for certain urgent improvements required to Chamarajasagara anicut, the source ~~the source~~ of water supply to Chamarajanagar town

I have the honour to be
Sir,
Your most obedient servant,

M G Rangaiya

Chief Engineer of Mysore.
16/4/34

Letter No B 1742/1 dated 7th April 1934, from the Superintending Engineer, Mysore Circle, Mysore, to the Chief Engineer of Mysore, Bangalore

---

Improving water supply to Chamarajanagar town

In continuation of this office No 1700 dated 28-3-34, intimating that a cushion wall has to be constructed below the anicut and that therefore the estimate amounting to Rs 4,600 may be sanctioned, I have the honour to request you to be so good as to provide Rs 5,000 for this work in the next year's budget

2 The budget estimate received from the Executive Engineer is herewith submitted for information

---

" Copy "

For Chief Engineer of Mysore

16 4-34

Mysore Version

Draft Budget Estimates

for 1934-35 under

30 grants for Public

Improvements

Mysore P W.D

Draft Budget Estimates for the yea

SE No	Locality	Name of work and date of Sanction	Amount of the Estimate	Actuals to end of 32-33	Budget Estimate for 33-34	Revised estimate for 33-34
		- 30 Grants for Public				
		- Improvements				
	Fresh	work for which estimates Submitted -				
		Improving water Supply to				
		Bhadravathi Town.				

Mysore Division

1934-35 under 30 Grants for Public Improvements — —

Budget Estimate for 34 35 returned Pleasure fund	Remarks
5000	Estimate for providing water Cushion has been Submitted Sanction therefor is awaited

Executive Engineer
Mysore Division

1934

Mc 116-32-62

No L.D3 299/33
Encl 2

OFFICE OF THE DEPUTY COMMISSIONER
MYSORE DISTRICT

Dated Mysore 14th July *1934*

16 238/2

FROM

C S KUPPUSWAMIENGAR Esq
Deputy Commissioner
Mysore District Mysore

To

M Venkatanaranappa, Esq , B A ,
Secretary to the Government of Mysore
Development Department, Bangalore

SIR,

19 JUL 1934

Repairs to the anicut from which the feeder channel to the water supply tank in Chamarajanagar Town is drawn

---

With reference to correspondence ending with your letter No L 7513/Ml 116-32-61 dated 18th April 1934 re the above, I have the honor to state that the Municipal Council, at their Meeting held on 28th May 1934 resolved to incur an expenditure of Rupees 2300/- being a moiety of the cost of repairs The President reports in his letter No 7/34 dated 4th July 1934, that the sum of Rs 2300/- was credited to the head of P W Deposits in the Chamarajanagar Taluk Treasury on 30th June 1934

A copy of the resolution along with the President's report accompanies

I have the honor to be,
Sir,
Your most obedient servant,

Deputy Commissioner,
Mysore District

A N

Office of the President
Town Municipal Council
Dated Chamarajanagar
4 7 1934

No 7/34-35

From

The President
Town Municipal Council
Chamarajanagar

To The Deputy Commissioner
Mysore District
Mysore

No 7/34-35
Dated 4-7-1934
Enclosure nil

Subject – Repairs to the Anicut from which the feeder Channel to the Water Supply Tank in Chamarajanagar is drawn

---

Sir,

With reference to your memo No D3-299/33 dated 24-4-1934 and subsequent reminder thereon on the above subject I beg to state that the reference under reply was placed at the meeting of the Municipal Council on 29-5-1934 for opinion

The Municipal Council agreed to pay a sum of Rs 2300/- being the moiety of the Cost of repair works to the anicut and sanctioned also the payment of the said Sum

the said sum to the P W D

Accordingly, the sum of Rs 2300/ was credited to the head of P W Deposits in the Chamarajanagar Taluk Treasury on 30-6-1934

The P W D authorities may be Kindly Written to take up the work immediately and to furnish detailed statement of works done and the outlay incurred therefor during each month till the completion to this office for necessary adjustments to be effected in the accounts under Rule 239 M M

I beg to remain,
Sir,
your most obedient Servant

Sd
President



1934 నేప్రిల్ 30 వ తేదీ కాకినాడ మున్సిపల్ కార్యవర్తి 1½ గంటలకి [redacted] మున్సిపల్ చైర్మన్ అధ్యక్షతన సమావేశమైనది కౌన్సిలర్లు క్రింద సంతకాలు చేసినవారు హాజరుగా ఉన్నట్లు ప్రొసీడింగ్స్

హాజరు	సైకిల్ హాజరు	మొత్తం
15	3	2

× × × × × ×

Subject no 8

కట్టిడాల్ల్ద అణాపోకల్ను రికవరీ కొరకు 4600/- రూపాయలు మున్సిపాలిటీ వసూలు చేయవలసి ఉన్నది కాబట్టి 30-10-1933 తేదీన జరిగిన పబ్లిక్ హెల్త్ కమిటీ recommendation మీద సదరు రికవరీ కొరకు వేయవలసిన నోటీసులు, ఈ నగర రికవరీ చేసేది చూడడానికి ముందు రెండవ పార్టీ బిల్లు చెల్లించడం సంభవనీయమని చెప్పి ఇంజనీరుగారు అభిప్రాయం ఇవ్వడం వల్ల రికవరీ నగదు వసూలు చేసిన తరువాత రెవిన్యూ కమిటీ మీటింగ్ పెట్టి నిర్ణయం చేయవలసినది అని చైర్మన్ గారు ప్రస్తావించి తీర్మానం కొరకు కోరగా వారి 24-4-1934 తేదీ నెం. Dis-299/33 నోటీసు ప్రకారం చేసిన తీర్మానం

Resolution

ఈ కేసు నడుపుటకు ముద్దాయిలు పెట్టే బిల్లులు చెల్లించడం కొరకు పోలీసు ఖర్చులు నిమిత్తం 2300/- రూపాయలు PW ఇలాఖా కావలి వసూలు చేయబడుతుందని తీర్మానించడమైనది

× × × × × ×

"Extract

Sd/ M Krishnachari

President

4/7/1934

President,

29-6-1934

L754/PL116 32-63

8-8-34

The Chief Engineer
— in person

Sir,

With reference to the correspondence ending with your letter no 9595 dated the 6th April 1934 requesting that a sum of Rs 5000/- maybe provided under 30 prog. for Public Improvements — Water supply to Dams for the year 1934-35 for certain urgent improvements — Rs (illegible) to the Chamarajendra

Typed by M C R C

of water supply to
Bhawadajnagar, I am
directed to request that the ~~Supplemental~~
estimate for the works
referred to on your
unofft note no 417 dated
22 b 33 may be ~~kindly~~ forwarded to Govt for sanction,
as a very early date

Yours truly

for Secy to Govt
Irrn Deptt

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated Bangalore ~~31st July~~ 1-8- 1934

No 2754/Dvl 116-32-63

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
Development Department

To

The Chief Engineer in Mysore

Sir

With reference to the correspondence ending with your letter No 9595 dated the 16th April 1934 requesting that a sum of Rs 5000/- may be provided under "30 Grants for public Improvements Water Supply to Towns" for the year 1934-35 for certain urgent improvements to be carried out to the Chamaraj nagar Aniout the source of water supply to Chamarajanagar I am directed to request that the supplemental estimate for the work in question referred to in your unofficial note No 417 dated 22nd June 1933 may be kindly forwarded to Government fo sanction at a very early date

I have the honor to be

Sir

Your most obedient servant

Secretary to Government,

Development Department

No 1669
Encls

MYSORE PUBLIC WORKS DEPARTMENT

CENTRAL OFFICE

Dated Bangalore 4th September 1934.

PK 116-32-64

FROM

DIWAN BAHADUR
N N AYYANGAR BA LCE MIE (Id) ISE
Chief Engineer of Mysore
Bangalore





The Secretary to Government,
Development Department,
Bangalore

SIR

Water Supply to Chamarajnagar Town

With reference to your letter No L 754/Ml 116-32-63 dated the 1st August 1934, I have the honour to inform you that the supplemental estimate relating to the above work is not available in this office

2 The Deputy Commissioner Mysore District has reported that the file containing the resolution of the Municipal Council and the estimates for the work forwarded to the General Secretary to Government with his letter No D 3-299/33 dated the 2nd December 1933 have not been received back

I have the honour to be,
Sir,
Your most obedient servant,

for Chief Engineer of Mysore
4/9/34

Jan 1935

Mr 116-32-65

The Deputy Commissioner,

Mysore District, Mysore

Sir,

With reference to the correspondence ending with your letter No L D 3-299/33 dated the 14/16th July 1934 stating that the Chamarajanagar Town Municipal Council have credited a sum of Rs 2,500/- on 30th June 1934 on account of their share of the cost towards the repairs to the anicut for which the feeder channel to the water supply tank in Chamarajanagar Town is drawn, I am directed to return herewith the file of records received with your letter No D 3-299/33 dated 2nd December 1933 on the subject together with the estimate for Rs 4,600 for the said work, and to state that under Rule 5 of the rules regulating the preparation and sanction of plans and estimates for works, etc , in Town Municipal Councils notified in G O No I 3083/M1 85-33-2 dated 8/10th July 1934 the estimate in question may be sanctioned by you and forwarded to the Superintending Engineer Mysore Circle, for further necessary action The other half of the amount of the estimate will be provided for out of the allotment made in the current year's State Budget for the improvement of water supply in towns

As regards the other half of the cost viz Rs 2300 I am to say that on account of the large demands from other Municipalities which are in greater need of funds, it is not possible to spare any money from the Water Supply & Town Improvements of this year for this work and to request that the Chamarajnagar Mcty may be

I have, etc ,

Secretary to Govt
Dev Deptt

Memo 2/9
2794

Copy of the above is forwarded with compliments to the Chief Engineer in

Correspondence ending with letter No 1603
dated 4th September 1934

By Order

For Secretary to Govt
Dev Deptt

Memo No A 2795

- Copy to the Director of Health in Mysore, for information

B O

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated Bangalore 6th/13 October 1934

No L 2793/ [illegible]

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
Development Department

To

The Deputy Commissioner,

[illegible]ysore District.

Sir

With reference to the correspondence ending with your letter No.L D 3-297/33 dated the 14/16th July 1934, stating that the Chamarajanagar Town Municipal Council have credited a sum of Rs 2,300/- on 30th June 1934 on account of their share of the cost towards the repairs to the anicut across which the feeder channel to the water supply tank in Chamarajanagar Town is drawn, I am directed to return herewith the file of records received with your letter No 3 297/33 dated 2nd December 1933 on the subject, together with the estimate for Rs 4,600/- for the said work, and to state that under Rule 5 of the rules regulating the preparation and sanction of plans and estimates for works, etc., in Town Municipal Councils not fixed in Government Order No Fl 5026/Fl 85-33-2 dated 8/10th July 1934, the estimate in question may be sanctioned by you and forwarded to the Superintending Engineer, Mysore Circle for further necessary action.

As regards the other half of the cost, viz., Rs 2,300 [illegible] am to say that on account of the large demands from other [illegible] which are in greater need of funds, it is not

not possible to spare any money from the water supply and Town Improvement grants of this year for this work and to request that the Chamarajapet Municipality may be asked to meet the entire cost

I have the honour to be,

Sir,

Your most obedient servant,

Sd/- Venkatanarayanappa,
Secretary to Government,
Development Department

To 4/6 34

Memo No 2794-55 Dated, Bangalore, 6th/13 Oct 1934

Copy of the above, is forwarded, with compliments, to the Director of Health & the Chief Engr with reference to his letter No 1663 D 4 & 34

By order

for Secretary to Government

M 116-32-66

No D3 1592/34
Encl one file

OFFICE OF THE DEPUTY COMMISSIONER
MYSORE DISTRICT

Dated Mysore 17th Jany 1935

18 3217

FROM

C S KUPPUSWAMIENGAR Esq
Deputy Commissioner
Mysore District My ore

TO

M Venkatanaranappa, Esq , B A ,

Secretary to the Government of Mysore
Development Department, Bangalore

SIR

Repairs to the anicut from which the feeder channel to the water supply tank in Chamarajanagar Town is drawn

=====

With reference to correspondence ending with your letter No L 2793/M1 116-32-65 dated 6/13th October 1934 re the above subject, I have the honor to state that the Municipal Council of Chamarajanagar, have, at their meeting held on 10th November 1934, resolved that the Municipality is unable to meet the other half of the cost, that the work may be executed by the Municipality itself and that the amount of Rs 2300/- already credited to the Public Works Department, may be got refunded I request that sanction of Government may be obtained to the proposal of the Municipal Council

Report No 284 dated 26th December 1934 with its enclosures received from the President, Chamarajanagar Municipal Council, accompanies

I have the honor to be,

Sir,

Your most obedient servant,

Deputy Commissioner,
Mysore District

26548 Encl Records 4/25/3/35

MC 116-39-67

The Deputy Commissioner

Mysore District

Sir

With reference to the correspondence ending with your letter No D3 1592/34 dated 18th January 1935 stating that as the Chamarajanagar municipality is not able to bear the entire cost on account of the repairs to the anicut from which the feeder channel to the water supply tank in Chamarajanagar town is drawn the work may be allowed to be carried out by the Municipality itself and the sum of Rs 2 300/- already paid by the Municipality refunded to them I am directed to state that the Chief Engineer reports that the work in question is not a repair work but is the construction of the cushion down stream of the anicut and the remodelling of it for a contingent flood of 8' depth and that the nature of the work is such that it ~~would be dangerous and waste of money if it is to~~ cannot be carried out by a ~~non~~ highly technical agency Government cannot therefore allow the municipality to execute the work, and I am to request that they may be asked to pay up the balance of Rs 2 300/- without further delay as the postponement of the work is said to

to

to involve serious risk

The records accompany

I have etc

Secretary to Govt
Development Dept

Memo No L 6549-50 Dated 25-3-35

Copy to (1) Director of Health for information

(2) Chief Engineer P W D

By Order

Secretary to Govt
Development Dept

hks 16/3/35

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L6548 Land Records — Dated Bangalore 22nd March 1935
Rev 116-32-67 — 25

From

The *Secretary to the Government of His Highness the Maharaja of Mysore*
Development Department

To

The Deputy Commissioner,
Mysore District

Sir

With reference to the correspondence ending with your letter No D 3 1592/34 dated 18th January 1935 stating that, as the Chamarajnagar Municipality is not able to bear the entire cost on account of the repairs to the anicut from which the feeder channel to the water supply tank in Chamarajnagar town is drawn, the work may be allowed to be carried out by the Municipality itself and the sum of Rs 2,300/- already paid by the Municipality refunded to them, I am directed to state that the Chief Engineer reports that the work in question is not a repair work but is the construction of the cushion down stream of the anicut and the remodelling of it for a contingent flood of 8' depth and that the nature of the work is such that it cannot be carried out except by a highly technical agency Government cannot therefore allow the Municipality to execute the work and I am to request that they may be asked to pay up the balance of - - - Rs 2,300/- without further delay as the postponement of the work is said to involve serious risk

The records accompany

I have the honour to be,
Sir,
Your most obedient servant,

(Sd) V Venkatanarayana

Secretary to Government,
Development Department

M E M O No L6549-50
Dated, Bangalore 22nd March 1935
25

Copy of the is forwarded with compliments, to the
(1) Dy Q # (2) Cant Engr, P W D

By order.

F-D)
for Secretary to Government,
Development Department

L89
3/7/35

MC 116-32-68

o D3 3998/34-35
re one file

Office of the Deputy Commissioner
Mysore District
Dated, Mysore 1st July 1935

Kesavalengar, Sq , B A ,

Deputy Commissioner,
Mysore District

Venkatanarenappa S , B ,

Secretary to the Government of Mysore
Development Department Bangalore

Repairs to the anicut from which the feeder channel to the water supply tank in Chamarajanagar Town is drawn

With reference to your letter No L 6548 dated 22nd/25th March 1935, regarding the payment of the other half of the cash viz , Rs 2300/- for the above work, I have the honor to forward herewith the entire file of correspondence ending with No 481/34-35 dated 20th May 1935 from the President of Chamarajanagar Municipal Council with an extract of the Council's resolution in the matter The Municipal Council have expressed their inability to meet the cost in view of the other important works undertaken by them and they request that the Government may kindly be moved to sanction the cost of Rs 2300/- from State Funds and that if this is not possible the construction of the work may be dropped, as the sinking of a bore-well is under contemplation

I have the honor to be,

Sir,

Your most obedient servant,

Deputy Commissioner,
Mysore District

Appendix F G—1]

SUBJECT

Section 2nd

File No 116-32

Serial No 69

Diary No of letter replied to

No L 739 Encl Records

To Mayor, Mysore

Sir,

General and Revenue Secretariat

( )

the 193

Date of issue 27-7-35

Signed by [illegible]

List of enclosures

Copied by 25/7/35

Examined by

With reference to the correspondence ending with your letter no 03 3988/34-35 dy 1-7-35 stating that the Chamarajnagar [illegible] have expressed their inability to meet the entire cost on account of the repairs to the anicut from which the feeder channel to the water supply tank in Chamarajnagar town is drawn and have requested that half the cost of the work amounting to Rs 2300 may be met out of State funds and that if this is not possible the execution of the work may be dropped, as the making of a new one is under contemplation, I am directed to state

that the work cannot be dropped, as
the Chief Engineer considers that it is very
necessary and should be carried out early
We ought to have sufficient funds to meet
the expenditure and no fresh grant can be
spared for the purpose, as there are other more pressing
needs demands to be met I am to request you to
see that the Board provide the necessary fund
for the work and make it available for
expenditure by the P W D
the terms accompany

Yours truly

for Secy to Govt,
Gen. Dept

£740 27-7-35

Secy to Chief Engr for information

B O

for Secy to Govt
Gen Dept

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L739 Cus Revn
Jul 116-32-69

Dated Bangalore 25th July 1935
27

From

The Secretary to the Government of His Highness the Maharaja of Mysore
Development Department

To

The Deputy Commissioner
Mysore District
Mysore

Sir

With reference to the correspondence ending with your letter No L3 3988/34-35 dated 1st July 1935 stating that the Chamarajnagar Municipal Council have expressed their inability to meet the entire cost on account of the repairs to the sluice from which the feeder channel to the water supply tank in Chamarajnagar town is drawn and have requested that half the cost of the work amounting to Rs 2,000/- may be met out of State Funds and that if this is not possible the construction of the work may be dropped as the sinking of a borewell is under contemplation I am directed to state that the work cannot be dropped as the Chief Engineer considers that it is very necessary and should be carried out early The Municipal Council have sufficient funds to meet the expenditure and no/grant can be spared for the the purpose as there are other more pressing needs to be met I am to request you to see that the Municipal Council provide the necessary funds for the work and make it available for expenditure of the Public Works Department

The records accompany

I have the honour to be,
Sir
Your most obedient servant

Sd/- [illegible]
Secretary to Government
Development Department

Memo No £740 Dated 25th July 1935

Copy of the foregoing is forwarded with compliments to the Chief Engineer of Mysore for information

By Order

for Secretary to Government
Development Department

hks